

TracPipe® **CounterStrike**®

Flexible Gas Piping by OmegaFlex®



PRODUCT CATALOG

Flexible Gas Piping Systems for Commercial, Industrial and Residential

Table of Contents

CounterStrike® Introduction	3
Flexible Gas Tubing	4
AutoFlare® Fittings and Accessories	5
AutoFlare® Tee Fittings.....	6
CounterStrike® Accessories	8
TracPipe® PS II Underground Gas Piping	10
Warranty.....	11

TracPipe®  **CounterStrike®**
Flexible Gas Piping by OmegaFlex®

Improve your bottom line by taking advantage of TracPipe® CounterStrike® industry-leading flow capacities.

CONTACT INFORMATION

CounterStrike® • 1.800.671.8622
sales@tracpipe.com • www.tracpipe.com

Four Decades of Performance

Since 1975, Omega Flex, Inc. has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 100 patents, the Company's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe® Corrugated Stainless Steel Tubing (CSST) in its installation guide.
- In 2004, the Company developed CounterStrike® CSST, which contains all of the innovative features of TracPipe® CSST plus a built-in arc resistant jacket that eliminates the need for additional bonding.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe®" CSST and now only sells its innovative black-jacket product "CounterStrike®" CSST throughout the US market.
- In 2012, OmegaFlex was a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of CounterStrike® CSST withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to CounterStrike® CSST, fractured in the same test.

CounterStrike® CSST is also :

- Listed by both CSA and ICC Evaluation-Services-PMG 1058 and evaluated by the International Association of Plumbing and Mechanical Officials (IAPMO) ER 0227 for lightning resistance without additional bonding (unless required by local codes).
- Compliant with fuel gas codes in all 50 states.
- Compliant with all model codes, including all the National Fuel Gas Code (NFPA), International Fuel Gas Code and International Residential Code (ICC), and the Uniform Plumbing Code (IAPMO).
- Listed to the national consensus standard for CSST (ANSI LC 1-2016) including all requirements for arc-resistant conductive jackets.
- Underwriters Laboratories (UL) listed for 1, 2 and 4 hour through penetration fire stop systems without removal of the conductive jacket.
- The 2022 ICC-ES ESR-4565 listing represents the seismic certification by shake-table testing for CounterStrike® CSST flexible gas piping systems as an alternative to code-prescribed requirements. Omega Flex tubing systems sustained severe earthquake simulations that surpassed all the intensities and seismic forces ever recorded as well as the design forces specified in the current building codes. The ICC seismic certifications for the three Omega Flex products (CounterStrike®, MediTrac®, and DoubleTrac®) are consistent with the technical requirements of the major US seismic codes and standards including: International Building Code, the ASCE-7 Standard, FEMA 461 as well as the City of Los Angeles Department of Building Safety, and the State of California Division of State Architect and OSHPD.



CounterStrike® CSST in seismic test rig.


Flexible Gas Piping CSST

CounterStrike® CSST Piping Systems for Natural Gas and Propane

The flexibility and long lengths of CounterStrike® CSST make it perfect for remodel/repair work. It can be pulled like wire, which minimizes the need to remove and replace walls, while at the same time potentially reducing both construction cost and shortening lead times.

CounterStrike® features a single robust protective jacket over a non-annealed CSST, which offers enhanced crush resistance. The superior crush resistance of CounterStrike® CSST means that it lays straighter, is simpler to cut and pulls easier in new home construction.

CounterStrike® Flexible Gas Tubing


 <p>Corrugated Stainless Steel 300 Series with Black Conductive Jacket Plywood Reels for Packaging</p>	Description	Part Number	Size	Reel Length	Lb/Reel
	CounterStrike 3/8"	FGP-CS-375-250	3/8"	250 ft/reel	37
	CounterStrike 3/8"	FGP-CS-375-100	3/8"	100 ft/reel	17
	CounterStrike 1/2"	FGP-CS-500-500	1/2"	500 ft/reel	98
	CounterStrike 1/2"	FGP-CS-500-250	1/2"	250 ft/reel	52
	CounterStrike 1/2"	FGP-CS-500-100	1/2"	100 ft/reel	24
	CounterStrike 3/4"	FGP-CS-750-250	3/4"	250 ft/reel	70
	CounterStrike 3/4"	FGP-CS-750-100	3/4"	100 ft/reel	31
	CounterStrike 1"	FGP-CS-100-180	1"	180 ft/reel	70
	CounterStrike 1"	FGP-CS-100-100	1"	100 ft/reel	40
	CounterStrike 1"	FGP-CS-100-50	1"	50 ft/reel	22
	CounterStrike 1 1/4"	FGP-CS-125-250	1 1/4"	250 ft/reel	129
	CounterStrike 1 1/4"	FGP-CS-125-150	1 1/4"	150 ft/reel	78
	CounterStrike 1 1/2"	FGP-CS-150-250	1 1/2"	250 ft/reel	182
	CounterStrike 1 1/2"	FGP-CS-150-150	1 1/2"	150 ft/reel	103
CounterStrike 2"	FGP-CS-200-150	2"	150 ft/reel	137	

Note: Other lengths available. Consult factory for price and lead time.

CounterStrike® CSST Coils

CounterStrike® CSST tubing coil gas piping system comes in 1/2", 3/4", and 1" diameters. Used for natural gas or propane powered appliances the smaller coils are perfect for smaller jobs involving the replacement or relocation of a single gas appliance.

CounterStrike® Flexible Gas Tubing Coil


	Description	Part Number	Size	Coil Length	Lb/Coil
	CounterStrike 1/2"	FGP-CS-500-50	1/2"	50 ft	14
	CounterStrike 1/2"	FGP-CS-500-25	1/2"	25 ft	4.6
	CounterStrike 3/4"	FGP-CS-750-50	3/4"	50 ft	12.2
	CounterStrike 3/4"	FGP-CS-750-25	3/4"	25 ft	5.2
	CounterStrike 1"	FGP-CS-100-25	1"	25 ft	8.6

AutoFlare® Fittings and Accessories

Self-Flaring Fitting

AutoFlare® is the self-piloting fitting that attaches TracPipe® CounterStrike® to traditional gas fittings and appliances. No special tools or additional parts required.

AutoFlare® Fittings and Accessories

		Description	Part Number	Size	Pkg. Qty	Lb.
Straight Mechanical Fitting Brass		AutoFlare Straight 3/8"	FGP-FST-375N	3/8"(3/8"NPT)	24/box	.3
		AutoFlare Straight 3/8"	FGP-FST-375	3/8"(1/2"NPT)	24/box	.4
		AutoFlare Straight 1/2"	FGP-FST-500	1/2"	24/box	.4
		AutoFlare Reducing 1/2"	FGP-RST500-750	1/2"-3/4"NPT	24/box	.4
		AutoFlare Straight 3/4"	FGP-FST-750	3/4"	16/box	.5
Reducing Fitting Brass		AutoFlare Reducing 3/4"	FGP-RST750-500	3/4"-1/2"NPT	16/box	.5
		AutoFlare Straight 1"	FGP-FST-1000	1"	16/box	.7
		AutoFlare Reducing 1"	FGP-RST1000-750	1"-3/4"NPT	16/box	.7
Fitting Sizes 1/4", 1/2" and 2" are sold individually	}	AutoFlare Straight 1/4"	FGP-FST-1250	1/4"	6/box	1.5
		AutoFlare Straight 1/2"	FGP-FST-1500	1/2"	4/box	2.1
		AutoFlare Straight 2"	FGP-FST-2000	2"	4/box	3.5
Split Rings Brass		Spare Split Rings	FGP-RING-375	3/8"	10/pack	.06
		Spare Split Rings	FGP-RING-500	1/2"	10/pack	.06
		Spare Split Rings	FGP-RING-750	3/4"	10/pack	.06
		Spare Split Rings	FGP-RING-1000	1"	10/pack	.06
		Spare Split Rings	FGP-RING-1250	1 1/4"	4/pack	.06
		Spare Split Rings	FGP-RING-1500	1 1/2"	4/pack	.2
		Spare Split Rings	FGP-RING-2000	2"	4/pack	.3
		AutoFlare Female Straight 3/8"	FGP-FSTF-375	3/8"-1/2"NPT	24/box	.25
Female Straight Fitting Brass		AutoFlare Female Straight 1/2"	FGP-FSTF-500	1/2"	24/box	.33
		AutoFlare Female Straight 3/4"	FGP-FSTF-750	3/4"	16/box	.49
		AutoFlare Female Straight 1"	FGP-FSTF-1000	1"	16/box	.61

AutoFlare® Fittings and Accessories					
	Description	Part Number	Size	Pkg. Qty	Lb.
Coupling Insert Brass	Coupling 3/8"	FGP-CPLG-375	3/8"	24/box	.3
	Coupling 1/2"	FGP-CPLG-500	1/2"	24/box	.5
	Coupling 3/4"	FGP-CPLG-750	3/4"	16/box	.7
	Coupling 1"	FGP-CPLG-1000	1"	16/box	.9
Flange Mount Fittings Steel	Coupling 1 1/4"	FGP-CPLG-1250	1 1/4"	6/box	2.0
	Coupling 1 1/2"	FGP-CPLG-1500	1 1/2"	4/box	3.3
	Coupling 2"	FGP-CPLG-2000	2"	4/box	5.5
	AutoFlare Steel Flange Fitting 3/8"	FGP-RFG-375	3/8"	12/box	.61
	AutoFlare Steel Flange Fitting 1/2"	FGP-RFG-500	1/2"	12/box	.6
Flange Mount Fittings Steel	AutoFlare Steel Flange Fitting 3/4"	FGP-RFG-750	3/4"	8/box	.74
	AutoFlare Steel Flange Fitting 1"	FGP-RFG-1000	1"	8/box	.92
	AutoFlare Steel Flange Fitting 1 1/4"	FGP-RFG-1250	1 1/4"	4/box	1.53
	AutoFlare Flange L Bracket	FGP-TERM-BRAC	All	1 each	.3
	90° Flange Fitting 1/2"	FGP-ELS-500	1/2"	8/box	.7
	90° Flange Valve 3/8"	FGP-RF90V-375	3/8"	6/box	1.02
	90° Flange Valve 1/2"	FGP-RF90V-500	1/2"	6/box	.90
	90° Flange Fitting 3/4"	FGP-RF90V-750	3/4"	6/box	1.4

AutoFlare® Tee Fittings					
	Description	Part Number	Size	Pkg. Qty	Lb.
Tee Fitting Brass	CounterStrike by NPT				
	Tee - Male 3/4"	FGP-T500-750	1/2-3/4" male	12/box	1
	Tee - Female 1/2"	FGP-T500-500	1/2" Female	14/box	1
	Tee - Female 1/2"	FGP-T750-500	3/4-1/2" Female	12/box	1.6
	Tee - Female 3/4"	FGP-T750-750	3/4" Female	12/box	1.6
Tee Fitting Brass	Tee - Female 1"	FGP-T1000-1000	1" Female	10/box	2.2
	CounterStrike / All Outlets				
	Tee - All Outlets 1/2"	FGP-TF500-T500	1/2 x 1/2"	14/box	1
	Tee - All Outlets 3/4"	FGP-TF750-T750	3/4 x 3/4"	12/box	1.6
	Tee - All Outlets 1"	FGP-TF1000T1000	1 x 1"	10/box	2.2
Reducer Tee Fitting Brass	Tee-Reducer	FGP-RT-501	1/2" x 3/8" x 3/8"	14/box	0.9
	Tee-Reducer	FGP-RT-751	3/4" x 1/2" x 3/8"	12/box	1.1
	Tee-Reducer	FGP-RT-752	3/4" x 1/2" x 1/2"	12/box	1.1
	Tee-Reducer	FGP-RT-1001	1" x 3/4" x 1/2"	10/box	1.8
	Tee-Reducer	FGP-RT-1002	1" x 3/4" x 3/4"	10/box	1.8
	Tee-Reducer	FGP-TF750-T500	3/4" x 3/4" x 1/2"	12/box	1.6
	Tee-Reducer	FGP-TF1000-T750	1" x 1" x 3/4"	10/box	2.1
	Tee-Reducer	FGP-TF1000-T500	1" x 1" x 1/2"	10/box	2.2
	Tee-Reducer	FGP-TF1250-T1000	1 1/4" x 1 1/4" x 1"	1 each	2.7

AutoFlare® Tee Fittings continued

Commercial Sized
Reducer Tees
Brass



Description	Part Number	Size	Pkg. Qty	Lb.
Tee-Reducer	FGP-TF1250-T750	1¼" x 1¼" x ¾"	1 each	2.6
Tee-Reducer	FGP-TF1250-T500	1¼" x 1¼" x ½"	1 each	2.6
Tee-Reducer	FGP-RT-1251	1¼" x 1" x 1"	1 each	2.2
Tee-Reducer	FGP-RT-1252	1¼" x 1" x ¾"	1 each	2.2
Tee-Reducer	FGP-RT-1253	1¼" x 1" x ½"	1 each	2.1
Tee-Reducer	FGP-TF1500-T1250	1½" x 1½" x 1¼"	1 each	4.4
Tee-Reducer	FGP-TF1500-T1000	1½" x 1½" x 1"	1 each	4.1
Tee-Reducer	FGP-TF1500-T750	1½" x 1½" x ¾"	1 each	4.1
Tee-Reducer	FGP-TF1500-T500	1½" x 1½" x ½"	1 each	4.0
Tee-Reducer	FGP-RT-1501	1½" x 1¼" x 1¼"	1 each	3.7
Tee-Reducer	FGP-RT-1502	1½" x 1¼" x 1"	1 each	3.6
Tee-Reducer	FGP-RT-1503	1½" x 1¼" x ¾"	1 each	3.6
Tee-Reducer	FGP-RT-1504	1½" x 1¼" x ½"	1 each	3.5
Tee-Reducer	FGP-TF2000-T1500	2" x 2" x 1½"	1 each	7.4
Tee-Reducer	FGP-TF2000-T1250	2" x 2" x 1¼"	1 each	7.2
Tee-Reducer	FGP-TF2000-T1000	2" x 2" x 1"	1 each	7.0
Tee-Reducer	FGP-TF2000-T750	2" x 2" x ¾"	1 each	7.0
Tee-Reducer	FGP-TF2000-T500	2" x 2" x ½"	1 each	7.0
Tee-Reducer	FGP-RT-2001	2" x 1½" x 1½"	1 each	6.5
Tee-Reducer	FGP-RT-2002	2" x 1½" x 1¼"	1 each	6.3
Tee-Reducer	FGP-RT-2003	2" x 1½" x 1"	1 each	6.1
Tee-Reducer	FGP-RT-2004	2" x 1½" x ¾"	1 each	6.1
Tee-Reducer	FGP-RT-2005	2" x 1½" x ½"	1 each	6.1

AutoFlare® Fittings and Accessories

Brackets and Stub-outs












Meter Termination Bracket

Wallbox with Valve
Note: Wallbox measures
7" x 7" x 3"






Description	Part Number	Size	Pkg. Qty	Lb.
Key Valve Bracket	FGP-KVB-375	3/8"	18/box	.50
Key Valve Bracket	FGP-KVB-500	1/2"	18/box	.54
Key Valve Bracket - Reducing	FGP-KVB750-500	3/4" x 1/2"	18/box	.77
1/2" x 6" Meter Term Stub-Out	FGP-1/2X6MT	1/2" x 6"	20/box	1.10
3/4" x 6" Meter Term Stub-Out	FGP-3/4X6MT	3/4" x 6"	20/box	1.20
1" x 6" Meter Term Stub-out	FGP-1X6 MT	1" x 6"	20/box	1.36
1-1/4" x 6" Meter Term Stub-out	FGP-1-1/4X12MT	1-1/4" x 6"	20/box	1.62
1/2" x 12" Meter Term Stub-out	FGP-1/2X12MT	1/2" x 12"	15/box	1.58
3/4" x 12" Meter Term Stub-out	FGP-3/4X12MT	3/4" x 6"	15/box	1.80
1" x 12" Meter Term Stub-out	FGP-1X12 MT	1" x 12"	15/box	1.36
1-1/4" x 12" Meter Term Stub-out	FGP-1-1/4X12 MT	1-1/4" x 12"	15/box	2.78
Meter Stud Bracket	FGP-STUD-BRAC	all	8/box	2.1
Appliance Stub-out	FGP-ASP-500	1/2" x 2"	25/box	.72
Fireplace Stub-out	FGP-FPT-500	1/2"	25/box	.72
1/2" x 90° Stub Out	FGP-ASP90S-500	1/2" x 5" x 5"	25/box	1
3/4" x 90° Stub Out	FGP-ASP90S-750	3/4" x 5" x 5"	15/pack	1.3
Meter Termination Bracket	FGP-MT-BRAC	1"	1 each	.8
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-375	3/8"	24/box	2.3
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-500	1/2"	24/box	2.3
AutoFlare Metal Wallbox w/Valve	FGP-WBTM-750	3/4"	24/box	2.8

CounterStrike® Accessories

<p>Multi-port Manifolds Coated Malleable Iron</p> <p>Stackable Manifolds Coated Malleable Iron</p> <p>Manifold Bracket Galvanized Steel</p> <p>Gas Load Center Painted Steel</p>	 <p>Gas Load Center w/Manifold Bracket For use with FGP-MI-PC only</p>	<p>Coated Manifold 4 ports 1/2" female</p> 	<p>Manifold Bracket For use with FGP-MI-PC only</p> 	<p>4 ports 3/4" female inlets 1/4" and 1" female</p> 	<p>Large Manifolds 4 ports 1" female</p> 																																													
		<p>2 ports 1/2" female 1/2" female to 1/2" male</p> 	<p>2 ports 1/2" female 3/4" female to 3/4" male</p> 	<p>Stackable Manifold Bracket</p> 																																														
		<table border="1"> <thead> <tr> <th>Description</th> <th>Part Number</th> <th>Size</th> <th>Pkg. Qty</th> <th>Lb.</th> </tr> </thead> <tbody> <tr> <td>Coated Manifold</td> <td>FGP-MI-PC</td> <td>3/4" x 1/2" x 1/2"(4)</td> <td>1 each</td> <td>1.9</td> </tr> <tr> <td>Manifold Bracket</td> <td>FGP-MB2</td> <td>----</td> <td>1 each</td> <td>1.3</td> </tr> <tr> <td>Stackable Manifold</td> <td>FGP-MI-ST-500</td> <td>1/2"F - M X 1/2"(2)</td> <td>1 each</td> <td>1.4</td> </tr> <tr> <td>Stackable Manifold</td> <td>FGP-MI-ST-750</td> <td>3/4"F - M X 1/2"(2)</td> <td>1 each</td> <td>1.4</td> </tr> <tr> <td>Stackable Manifold Bracket</td> <td>FGP-MB-ST</td> <td>fits MI-ST</td> <td>1 each</td> <td>.4</td> </tr> <tr> <td>Load Center w/Bracket</td> <td>FGP-LC</td> <td>----</td> <td>1 each</td> <td>11.3</td> </tr> <tr> <td>Large Coated Manifold</td> <td>FGP-MI-PC-1X</td> <td>1 1/4" x 1" x 3/4"(4)</td> <td>1 each</td> <td>5.5</td> </tr> <tr> <td>Large Coated Manifold</td> <td>FGP-MI-PC-2X</td> <td>2" x 1 1/2" x 1"(4)</td> <td>1 each</td> <td>13.0</td> </tr> </tbody> </table>	Description	Part Number	Size	Pkg. Qty	Lb.	Coated Manifold	FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.9	Manifold Bracket	FGP-MB2	----	1 each	1.3	Stackable Manifold	FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.4	Stackable Manifold	FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.4	Stackable Manifold Bracket	FGP-MB-ST	fits MI-ST	1 each	.4	Load Center w/Bracket	FGP-LC	----	1 each	11.3	Large Coated Manifold	FGP-MI-PC-1X	1 1/4" x 1" x 3/4"(4)	1 each	5.5	Large Coated Manifold	FGP-MI-PC-2X	2" x 1 1/2" x 1"(4)	1 each	13.0			
Description	Part Number	Size	Pkg. Qty	Lb.																																														
Coated Manifold	FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.9																																														
Manifold Bracket	FGP-MB2	----	1 each	1.3																																														
Stackable Manifold	FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.4																																														
Stackable Manifold	FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.4																																														
Stackable Manifold Bracket	FGP-MB-ST	fits MI-ST	1 each	.4																																														
Load Center w/Bracket	FGP-LC	----	1 each	11.3																																														
Large Coated Manifold	FGP-MI-PC-1X	1 1/4" x 1" x 3/4"(4)	1 each	5.5																																														
Large Coated Manifold	FGP-MI-PC-2X	2" x 1 1/2" x 1"(4)	1 each	13.0																																														
		<p>Bonding Clamp Brass</p> 																																																
		<table border="1"> <tbody> <tr> <td>Bonding Clamp</td> <td>FGP-GC-1</td> <td>3/8", 1/2" (TP/CS)</td> <td>1/2", 3/4", 1" (Iron pipe)</td> <td>1 each</td> </tr> <tr> <td>Bonding Clamp</td> <td>FGP-GC-2</td> <td>3/4", 1", 1 1/4" (TP/CS)</td> <td>1 1/4", 1 1/2", 2" (Iron pipe)</td> <td>1 each</td> </tr> <tr> <td>Bonding Clamp</td> <td>FGP-GC-3</td> <td>1 1/2", 2" (TP/CS)</td> <td>2 1/2" - 4" (Iron pipe)</td> <td>1 each</td> </tr> </tbody> </table>	Bonding Clamp	FGP-GC-1	3/8", 1/2" (TP/CS)	1/2", 3/4", 1" (Iron pipe)	1 each	Bonding Clamp	FGP-GC-2	3/4", 1", 1 1/4" (TP/CS)	1 1/4", 1 1/2", 2" (Iron pipe)	1 each	Bonding Clamp	FGP-GC-3	1 1/2", 2" (TP/CS)	2 1/2" - 4" (Iron pipe)	1 each																																	
Bonding Clamp	FGP-GC-1	3/8", 1/2" (TP/CS)	1/2", 3/4", 1" (Iron pipe)	1 each																																														
Bonding Clamp	FGP-GC-2	3/4", 1", 1 1/4" (TP/CS)	1 1/4", 1 1/2", 2" (Iron pipe)	1 each																																														
Bonding Clamp	FGP-GC-3	1 1/2", 2" (TP/CS)	2 1/2" - 4" (Iron pipe)	1 each																																														

Note: Omegaflex stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

<p>Pressure Regulators Cast Cast Housing Suitable for Outdoor Use</p>  <p>ID Tag</p>  <p>Gas Label</p> 	<p>Description</p>	<p>Part Number</p>	<p>Capacity MBTU/h**</p>	<p>Size</p>	<p>Pkg. Qty</p>	<p>Lb.</p>
	Regulator 2 PSI (8" w.c.)	FGP-REG-3	250	1/2"	1 each	.8
	Regulator 2 PSI (11" w.c.)	FGP-REG-3P	368 LP	1/2"	1 each	.8
	Regulator 2 PSI (8" w.c.)	FGP-REG-5A	550	3/4"	1 each	1.9
	Regulator 2 PSI (11" w.c.)	FGP-REG-5P	836 LP	3/4"	1 each	1.9
	Regulator 2 PSI (8" w.c.)	FGP-REG-7L	1000	1"	1 each	1.6
	Regulator 5 PSI* w/OPD	FGP-REG-3L47	125	1/2"	1 each	1.1
	Regulator 5 PSI* w/OPD	FGP-REG-3L48	200	1/2"	1 each	1.2
	Regulator 5 PSI* w/OPD	FGP-REG-5AL48	320	3/4"	1 each	2.3
	Regulator 5 PSI* w/OPD	FGP-REG-5AL600	425	3/4"	1 each	3.4
	Regulator 5 PSI* w/OPD	FGP-REG-5AL601	465	1"	1 each	3.4
	Rain Cap for REG-3/3P	FGP-CAP-3	---	1/8"	1 each	.1
	Rain Cap for REG-5A/5P	FGP-CAP-5A	---	3/8"	1 each	.15
	Installation Tags	FGP-ITAG-50	---	All	50/pkg	.35
	Gas Label	FGP-GAS LABEL	---	All	500/Roll	.25
High Pressure Tags	FGP-TAG-20	---	All	20/pkg	.3	

Note: All regulators include an approved vent limiter.

*Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).

**Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)

CounterStrike® Accessories and Tools


CounterStrike® Accessories and Tools						
	Description	Part Number	Size	Pkg. Qty	Lb.	
Shut Off Valves Quick Disconnect Brass Housing with Stainless Steel Ball		Ball Valve 5psi 1/2"	FGP-WBV-500	1/2"	1 each	.5
		Ball Valve 5psi 3/4"	FGP-WBV-750	3/4"	1 each	.8
		Sturgis Quick Disconnect	FGP-QDS	1/2"	1 each	.9
Note: Special tools not required.						
Tube Cutters		Cutter No. 15	FGP-TC-15	3/8"-1"	1 each	1.1
		Cutter No. 151	FGP-TC-151	3/8" – 3/4"	1 each	.9
		Cutter No. 152	FGP-TC-152	1" – 2"	1 each	1.9
		Cutter wheel	FGP-E-5272	1" – 2"	1 each	.1
Note: To cut 1" to 2" size CounterStrike® use a cutting wheel FGP-E-5272.						
Striker Plate Carbon Steel Hardened		Quarter Striker Plate	FGP-SP-025	3" x 2"	250/box	.08
		Half Striker Plate	FGP-SP-050	3" x 7"	100/box	.4
		Three Quarter Striker Plate	FGP-SP-075	3" x 9"	100/box	.4
		Full Striker	FGP-SP-100	3" x 12"	50/box	.42
		6½" X 17 Striker Plate	FGP-SP-617	6½" X 17"	1 each	1.8
Floppy Strip Wound Conduit Type RW Galvanized Steel		Floppy-fits 3/8" Cut 1 ft.	FGP-FPY-375CT	3/4"	50 box	11
		Floppy-fits 1/2" Cut 1 ft.	FGP-FPY-500CT	1"	50 box	15
		Floppy-fits 3/4" Cut 1 ft.	FGP-FPY-750CT	1¼"	25 box	17.5
		Floppy-fits 1" Cut 1 ft.	FGP-FPY-1000CT	1½"	25 box	24
		Floppy-fits 3/8"	FGP-FPY-375-50	3/4"	50 ft/coil	9
		Floppy-fits 1/2"	FGP-FPY-500-50	1"	50 ft/coil	13
		Floppy-fits 3/4"	FGP-FPY-750-25	1¼"	25 ft/coil	15.5
		Floppy-fits 1"	FGP-FPY-1000-25	1½"	25 ft/coil	22
		Floppy-fits 1¼"	FGP-FPY-1250-25	2"	25 ft/coil	28.5
		Floppy-fits 1½"	FGP-FPY-1500-25	2½"	25 ft/coil	46
Silicone Tape Silicone Rubber		Floppy-fits 2"	FGP-FPY-2000-25	3"	25 ft/coil	51
		Tape-Black	FGP-915-10H-12BL	1" x 12yd	Roll 12 yd	.3
Leak Check		Non-Corrosive leak check solution	FGP-LCS	1 Quart	12/case	2.3



TracPipe® PS-II Underground Gas Piping

TracPipe® PS-II Underground Gas Piping PATENTED - Improved

Now available! **TracPipe PS-II** is a pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that is more cost-effective and easier to install vs. our original **TracPipe PS** system.



Description	Part Number	Size	Reel Length	Lb./ Reel
TracPipe PS-II 3/8"	FGP-UGP-375-250	3/8"	250 ft./reel	57.5
TracPipe PS-II 1/2"	FGP-UGP-500-250	1/2"	250 ft./reel	82.5
TracPipe PS-II 1/2"	FGP-UGP-500-100	1/2"	100 ft./reel	33
TracPipe PS-II 3/4"	FGP-UGP-750-250	3/4"	250 ft./reel	107.5
TracPipe PS-II 3/4"	FGP-UGP-750-100	3/4"	100 ft./reel	43
TracPipe PS-II 1"	FGP-UGP-100-250	1"	250 ft./reel	142.5
TracPipe PS-II 1"	FGP-UGP-100-100	1"	100 ft./reel	57
TracPipe PS-II 1 1/4"	FGP-UGP-125-150	1 1/4"	150 ft./reel	137
TracPipe PS-II 1 1/2"	FGP-UGP-150-150	1 1/2"	150 ft./reel	150.5
TracPipe PS-II 2"	FGP-UGP-200-150	2"	150 ft./reel	220

Male Adapters

Description	Part Number	Size	Pkg. Qty.	Lb.
TracPipe PS-II Male Adapter	FGP-UGF-375	3/8" NPT Male	25/box	.45
TracPipe PS-II Male Adapter	FGP-UGF-500	1/2" NPT Male	20/box	.50
TracPipe PS-II Male Adapter	FGP-UGF-750	3/4" NPT Male	16/box	.65
TracPipe PS-II Male Adapter	FGP-UGF-1000	1" NPT Male	9/box	.90
TracPipe PS-II Male Adapter	FGP-UGF-1250	1 1/4" NPT Male	9/box	1.60
TracPipe PS-II Male Adapter	FGP-UGF-1500	1 1/2" NPT Male	9/box	2.65
TracPipe PS-II Male Adapter	FGP-UGF-2000	2" NPT Male	5/box	4.30


Couplings

TracPipe PS-II Coupling	FGP-UGC-375	3/8" T/P Coupling	25/box	.65
TracPipe PS-II Coupling	FGP-UGC-500	1/2" T/P Coupling	20/box	.70
TracPipe PS-II Coupling	FGP-UGC-750	3/4" T/P Coupling	16/box	1.05
TracPipe PS-II Coupling	FGP-UGC-1000	1" T/P Coupling	9/box	1.40
TracPipe PS-II Coupling	FGP-UGC-1250	1 1/4" T/P Coupling	9/box	2.50
TracPipe PS-II Coupling	FGP-UGC-1500	1 1/2" T/P Coupling	8/box	4.25
TracPipe PS-II Coupling	FGP-UGC-2000	2" T/P Coupling	5/box	6.90

Male Adapter



Coupling



Warranty

OMEGA FLEX, INC. LIMITED WARRANTY

OmegaFlex, Inc. (The "Manufacturer") warrants to the original owner at the original installation site that the TracPipe® CounterStrike® flexible gas piping system (the "Product") will be free from defects in material or workmanship for one year from the date of installation. If upon examination by the Manufacturer the Product is shown to have a defect in material or workmanship during the warranty period, the Manufacturer will repair or replace, at its option, that part of the Product which is shown to be defective.

THIS LIMITED WARRANTY DOES NOT APPLY:

- (a) if the Product has been subjected to misuse or neglect, has been accidentally or intentionally damaged, has not been installed, maintained or operated in accordance with the *TracPipe® CounterStrike® Design and Installation Guide*, or has been altered or modified in any way.
- (b) to any expenses, including labor or material, incurred during investigation, removal or reinstallation of the defective Product or parts thereof.
- (c) to any damage or impairment of the Product caused by any casualty, including without limitation fire, wind, floods, or acts of God.
- (e) to any workmanship of the installer of the Product.

THIS LIMITED WARRANTY IS CONDITIONAL UPON:

- (a) shipment, to the Manufacturer, of that part of the Product thought to be defective. Goods can only be returned with prior written approval from the Manufacturer. All returns must be freight prepaid.
- (b) determination, in the reasonable opinion of the Manufacturer, that there exists a defect in material or workmanship.

Repair or replacement of any part under this Limited Warranty shall not extend the duration of the warranty with respect to such repaired or replaced part beyond the stated warranty period.

TRACPIPE® COUNTERSTRIKE® FLEXIBLE GAS PIPING SYSTEM

This limited warranty is in lieu of all other warranties, either express or implied, and all such other warranties, including without limitation implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed and excluded from this limited warranty.

In no event shall the manufacturer be liable in any way for any consequential, special, or incidental damages of any nature whatsoever, or for any amounts in excess of the selling price of the product or any parts thereof found to be defective. This limited warranty gives the original owner of the product specific legal rights. You may also have other rights which may vary by each jurisdiction.



TracPipe[®]PS-II
Polyethylene-Sleeved Flexible Gas Piping by OmegaFlex[®]

TracPipe[®] CounterStrike[®]
Flexible Gas Piping by OmegaFlex.
PATENTED

OmegaFlex[®]

Omega Flex, Inc.
451 Creamery Way • Exton, PA 19341-2509
1-800-671-8622 • www.omegaflex.com
ISO 9001 Registered Company

FGP 745 09/24



FOR PRODUCT LISTING



FOR FIRE RESISTANCE

