

TRACPipe[®] SYSTEM

Product Catalog

*Flexible Gas
Piping System for
Commercial,
Industrial and
Residential*



July 2026

Table of Contents

TracPipe System Introduction..... 3

TracPipe AP Flexible Gas Tubing4

TracPipe System Fittings and Accessories5

TracPipe System Tee Fittings.....6

TracPipe System Fittings and Accessories8

TracPipe PSII Underground Gas Piping.....10

Warranty.....11



TRACPipe SYSTEM

Improve your bottom line by taking advantage of TracPipe System industry-leading flow capacities.

CONTACT INFORMATION

TracPipe • 1.800.671.8622

sales@tracpipe.com • www.tracpipe.com

Omegaflex and TracPipe are registered trademarks of Omega Flex, Inc.

©2026 Omega Flex, Inc. All Rights Reserved.

Four Decades of Performance

Since 1975, Omega Flex, Inc. has led the piping industry with its high-quality construction and commitment to exceed the industry's product and safety standards.

- With over 100 patents, the Company's philosophy is not to wait for mandates, but to lead the industry by introducing the best products.
- In 1999, OmegaFlex was the first CSST manufacturer to mandate the bonding of its yellow-jacketed TracPipe® Corrugated Stainless Steel Tubing (CSST) in its installation guide.
- In 2004, the Company developed TracPipe AP CSST (formerly TracPipe CounterStrike), which contains all of the innovative features of TracPipe® CSST plus a built-in arc resistant jacket that eliminates the need for additional bonding.
- In 2011, OmegaFlex became the only CSST manufacturer to transition from its highly successful yellow CSST product "TracPipe®" CSST and now only sells its innovative black-jacket product TracPipe AP CSST throughout the US market.
- In 2012, OmegaFlex was a sponsor of NSF-UC San Diego's earthquake testing program. The flexibility of TracPipe System CSST withstood the worst seismic activity simulated without any failures, leaks or damage. Meanwhile black iron pipe, which was installed next to TracPipe System CSST, fractured in the same test.

TracPipe System CSST is also:

- Listed by both CSA and ICC Evaluation-Services-PMG 1058 and evaluated by the International Association of Plumbing and Mechanical Officials (IAPMO) ER 0227 for lightning resistance without additional bonding (unless required by local codes).
- Compliant with fuel gas codes in all 50 states.
- Compliant with all model codes, including all the National Fuel Gas Code (NFPA), International Fuel Gas Code and International Residential Code (ICC), and the Uniform Plumbing Code (IAPMO).
- Listed to the national consensus standard for CSST (ANSI LC 1-2016) including all requirements for arc-resistant conductive jackets.
- Underwriters Laboratories (UL) listed for 1, 2 and 4 hour through penetration fire stop systems without removal of the conductive jacket.



TracPipe System CSST in seismic test rig.

- The 2022 ICC-ES ESR-4565 listing represents the seismic certification by shake-table testing for TracPipe System CSST flexible gas piping systems as an alternative to code-prescribed requirements. Omega Flex tubing systems sustained severe earthquake simulations that surpassed all the intensities and seismic forces ever recorded as well as the design forces specified in the current building codes. The ICC seismic certifications for the three Omega Flex products (TracPipe AP, MediTrac®, and DoubleTrac®) are consistent with the technical requirements of the major US seismic codes and standards including: International Building Code, the ASCE-7 Standard, FEMA 461 as well as the City of Los Angeles Department of Building Safety, and the State of California Division of State Architect and OSHPD.

Tracpipe System CSST Piping for Natural Gas and Propane

The flexibility and long lengths of Tracpipe System CSST make it perfect for remodel/repair work. It can be pulled like wire, which minimizes the need to remove and replace walls, while at the same time potentially reducing both construction cost and shortening lead times.

TracPipe AP features a single robust protective jacket over a non-annealed CSST, which offers enhanced crush resistance. The superior crush resistance of TracPipe AP means that it lays straighter, is simpler to cut and pulls easier in new home construction.

TRACPipe® AP Flexible Gas Tubing

TracPipe AP Flexible Gas Piping Corrugated Stainless Steel 300 Series with Black AR (Arc Resistant) Jacket  Plywood Reels for Packaging	Description	Part Number	Size	Reel Length	Lb/Reel
	TracPipe AP 3/8"	FGP-CS-375-250	3/8"	250	37
	TracPipe AP 3/8"	FGP-CS-375-100	3/8"	100	17
	TracPipe AP 1/2"	FGP-CS-500-500	1/2"	500	98
	TracPipe AP 1/2"	FGP-CS-500-250	1/2"	250	52
	TracPipe AP 1/2"	FGP-CS-500-100	1/2"	100	24
	TracPipe AP 3/4"	FGP-CS-750-250	3/4"	250	70
	TracPipe AP 3/4"	FGP-CS-750-100	3/4"	100	31
	TracPipe AP 1"	FGP-CS-100-180	1"	180	70
	TracPipe AP 1"	FGP-CS-100-100	1"	100	40
	TracPipe AP 1 1/4"	FGP-CS-125-250	1 1/4"	250	129
	TracPipe AP 1 1/4"	FGP-CS-125-150	1 1/4"	150	78
	TracPipe AP 1 1/2"	FGP-CS-150-250	1 1/2"	250	182
	TracPipe AP 1 1/2"	FGP-CS-150-150	1 1/2"	150	103
	TracPipe AP 2"	FGP-CS-200-150	2"	150	137

Note: Other lengths available. Consult factory for price and lead time.

CSST Coils

TracPipe AP CSST tubing coil gas piping system comes in 1/2", 3/4", and 1" diameters. Used for natural gas or propane powered appliances the smaller coils are perfect for smaller jobs involving the replacement or relocation of a single gas appliance.

TRACPipe® AP Flexible Gas Tubing Coil

 Coil	Description	Part Number	Size	Reel Length	Lb/Reel
	TracPipe AP 1/2"	FGP-CS-500-50	1/2"	50*	9.4
	TracPipe AP 1/2"	FGP-CS-500-25	1/2"	25*	4.6
	TracPipe AP 3/4"	FGP-CS-750-50	3/4"	50*	12.4
	TracPipe AP 3/4"	FGP-CS-750-25	3/4"	25*	6.3
	TracPipe AP 1"	FGP-CS-100-50	1"	50*	16.8
	TracPipe AP 1"	FGP-CS-100-25	1"	25*	8.6

TracPipe System Fittings and Accessories

Self-Flaring Fitting

TracPipe System fittings are the self-piloting fittings that attach TracPipe System CSST to traditional gas fittings and appliances. No special tools or additional parts required.

TracPipe System Fittings and Accessories

 Straight Mechanical Fitting Brass	Description	Part Number	Size	Pkg. Qty	Lb.
	TracPipe System Fitting Straight – 3/8"	FGP-AF-S-375N	3/8" (3/8" NPT)	24/box	0.4
 Fitting Sizes 1¼", 1½" and 2" are sold individually	TracPipe System Fitting Straight – 3/8"	FGP-AF-S-375	3/8" (1/2" NPT)	24/box	0.4
	TracPipe System Fitting Straight – 1/2"	FGP-AF-S-500	1/2"	24/box	0.45
	TracPipe System Fitting Reducing – 1/2"	FGP-AF-R500-750	1/2"-3/4" NPT	24/box	0.5
	TracPipe System Fitting Straight – 3/4"	FGP-AF-S-750	3/4"	16/box	0.6
 Split Rings Bronze (3/8" - 3/4") Stainless Steel (1" - 2")	TracPipe System Fitting Reducing – 3/4"	FGP-AF-R750-500	3/4"-1/2" NPT	16/box	0.6
	TracPipe System Fitting Straight – 1"	FGP-AF-S-1000	1"	16/box	0.8
	TracPipe System Fitting Reducing – 1"	FGP-AF-R1000-750	1"-3/4" NPT	16/box	0.75
	TracPipe System Fitting Straight – 1¼"	FGP-AF-S-1250	1¼"	4/box	3.15
 Female Straight Fitting Brass	TracPipe System Fitting Straight – 1½"	FGP-AF-S-1500	1½"	2/box	3.4
	TracPipe System Fitting Straight – 2"	FGP-AF-S-2000	2"	2/box	4.45
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-375	3/8"	10/pk.	0.05
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-500	1/2"	10/pk.	0.05
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-750	3/4"	10/pk.	0.05
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-1000	1"	10/pk.	0.05
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-1250	1¼"	4/pk.	0.1
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-1500	1½"	4/pk.	0.15
	TracPipe System Fitting Spare Split Rings	FGP-AF-RING-2000	2"	4/pk.	0.3
	TracPipe System Fitting Female Straight – 3/8"	FGP-AF-F-375	3/8"-1/2" NPT	24/box	0.35
	TracPipe System Fitting Female Straight – 1/2"	FGP-AF-F-500	1/2"	24/box	0.4
	TracPipe System Fitting Female Straight – 3/4"	FGP-AF-F-750	3/4"	16/box	0.6
	TracPipe System Fitting Female Straight – 1"	FGP-AF-F-1000	1"	16/box	0.75
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-375-P	3/8"	10/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-500-P	1/2"	10/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-750-P	3/4"	10/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-1000-P	1"	10/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-1250-P	1¼"	4/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-1500-P	1½"	4/pk.	0.05
	TracPipe System Silicone Flip Sleeve Assembly	FGP-SLC-2000-P	2"	4/pk.	0.05

TracPipe® System Fittings and Accessories

TracPipe System Fittings and Accessories

  	Description	Part Number	Size	Pkg. Qty	Lb.
	TracPipe System Coupling – 3/8"	FGP-AF-CPLG-375	3/8"	24/box	0.6
	TracPipe System Coupling – 1/2"	FGP-AF-CPLG-500	1/2"	24/box	0.7
	TracPipe System Coupling – 3/4"	FGP-AF-CPLG-750	3/4"	16/box	0.95
	TracPipe System Coupling – 1"	FGP-AF-CPLG-1000	1"	16/box	1.2
	TracPipe System Coupling – 1¼"	FGP-AF-CPLG-1250	1¼"	4/box	6.55
	TracPipe System Coupling – 1½"	FGP-AF-CPLG-1500	1½"	2/box	6.5
	TracPipe System Coupling – 2"	FGP-AF-CPLG-2000	2"	2/box	8.1
	TracPipe System Steel Flange Fitting – 3/8"	FGP-AF-RF-375	3/8"	12/box	0.95
	TracPipe System Steel Flange Fitting – 1/2"	FGP-AF-RF-500	1/2"	12/box	0.95
	TracPipe System Steel Flange Fitting – 3/4"	FGP-AF-RF-750	3/4"	8/box	1.1
	TracPipe System Steel Flange Fitting – 1"	FGP-AF-RF-1000	1"	8/box	1.25
	TracPipe System Steel Flange Fitting – 1¼"	FGP-AF-RF-1250	1¼"	4/box	4.15
	TracPipe System Termination L Bracket	FGP-AF-TERM-BRAC	All	1 ea.	0.3
	TracPipe System 90° Steel Flange Fitting – 1/2"	FGP-AF-E-500	1/2"	8/box	1.05
	TracPipe System 90° Steel Flange Valve – 3/8"	FGP-AF-FV-375	3/8"	8/box	1.3
	TracPipe System 90° Steel Flange Valve – 1/2"	FGP-AF-FV-500	1/2"	8/box	1.3
	TracPipe System 90° Steel Flange Valve – 3/4"	FGP-AF-FV-750	3/4"	8/box	1.7

TracPipe System Tee Fittings

 	Description	Part Number	Size	Pkg. Qty	Lb.
	TracPipe System Fitting Tee - Male – 3/4"	FGP-AF-T500-750	1/2" X 3/4" Male	7/box	1.15
	TracPipe System Fitting Tee - Female – 1/2"	FGP-AF-T500-500	1/2" Female	7/box	1
	TracPipe System Fitting Tee - Female – 1/2"	FGP-AF-T750-500	3/4" X 1/2" Female	6/box	1.35
	TracPipe System Fitting Tee - Female – 3/4"	FGP-AF-T750-750	3/4" Female	6/box	1.25
	TracPipe System Fitting Tee - Female – 1"	FGP-AF-T1000-1000	1" Female	7/box	2.25
	TracPipe System Fitting Tee – 1/2"	FGP-AF-TF500-T500	1/2" X 1/2"	6/box	1.4
	TracPipe System Fitting Tee – 3/4"	FGP-AF-TF750-T750	3/4" X 3/4"	6/box	1.6
	TracPipe System Fitting Tee – 1"	FGP-AF-TF1000-T1000	1" X 1"	5/box	2.55
	TracPipe System Fitting Tee - Reducer	FGP-AF-RT-752	3/4" X 1/2" X 1/2"	6/box	1.35
	TracPipe System Fitting Tee - Reducer	FGP-AF-RT-1001	1" X 3/4" X 1/2"	5/box	2.35
	TracPipe System Fitting Tee - Reducer	FGP-AF-RT-1002	1" X 3/4" X 3/4"	5/box	2.4
	TracPipe System Fitting Tee - Reducer	FGP-AF-TF750-T500	3/4" X 3/4" X 1/2"	6/box	1.45
	TracPipe System Fitting Tee - Reducer	FGP-AF-TF1000-T750	1" X 1" X 3/4"	5/box	2.45
	TracPipe System Fitting Tee - Reducer	FGP-AF-TF1000-T500	1" X 1" X 1/2"	5/box	2.4

TracPipe® System Tee Fittings and Accessories

TracPipe System Fittings and Accessories

	Description	Part Number	Size	Pkg. Qty	Lb.
	TracPipe System Fitting Key Valve Bracket w/floppy	FGP-AF-KVB-375	3/8"	9/box	1.25
	TracPipe System Fitting Key Valve Bracket w/floppy	FGP-AF-KVB-500	1/2"	9/box	1.25
	TracPipe System Fitting Key Valve Bracket w/floppy	FGP-AF-KVB750-500	3/4" X 1/2"	9/box	1.5
	1/2" X 6" Meter Term Stub-Out	FGP-1/2X6MT	1/2" X 6"	20/box	1.10
	3/4" X 6" Meter Term Stub-Out	FGP-3/4X6MT	3/4" X 6"	20/box	1.20
	1" x 6" Meter Term Stub-Out	FGP-1X6MT	1" x 6"	20/box	1.36
	1 1/4" X 6" Meter Term Stub-Out	FGP-1-1/4X6MT	1 1/4" X 6"	20/box	1.62
	1/2" X 12" Meter Term Stub-Out	FGP-1/2X12MT	1/2" X 12"	15/box	1.58
	3/4" X 12" Meter Term Stub-Out	FGP-3/4X12MT	3/4" X 12"	15/box	1.80
	1" x 12" Meter Term Stub-Out	FGP-1X12MT	1" x 12"	15/box	1.36
	1 1/4" X 12" Meter Term Stub-Out	FGP-1-1/4X12MT	1 1/4" X 12"	15/box	2.78
	TracPipe System Fitting 90° Stub-Out Only	FGP-AF-90SO-500	1/2"	25/box	0.75
	TracPipe System Fitting 90° Stub-Out Only	FGP-AF-90SO-750	3/4"	15/box	0.85
	TracPipe System Fitting 90° Stub-Out Only	FGP-AF-90SO-1000	1"	15/box	1.5
	TracPipe System Fitting 90° Stub-Out Kit w/ Floppy	FGP-AF-90SO-500-KIT	1/2"	6/box	1.75
	TracPipe System Fitting 90° Stub-Out Kit w/ Floppy	FGP-AF-90SO-750-KIT	3/4"	6/box	2.15
	TracPipe System Fitting 90° Stub-Out Kit w/ Floppy	FGP-AF-90SO-1000-KIT	1"	6/box	2.75
	Fireplace Stub-Out	FGP-FPT-500	1/2"	25/box	.72
	TracPipe System Fitting Metal Wallbox Kit w/ Floppy	FGP-AF-WB-375	3/8"	16/box	3.1
	TracPipe System Fitting Metal Wallbox Kit w/ Floppy	FGP-AF-WB-500	1/2"	16/box	3.1
	TracPipe System Fitting Metal Wallbox Kit w/ Floppy	FGP-AF-WB-750	3/4"	16/box	3.6

TracPipe® System Accessories

TracPipe® System Accessories				
Multi-port Manifolds Coated Malleable Iron Stackable Manifolds Coated Malleable Iron Manifold Bracket Galvanized Steel Gas Load Center Painted Steel  Gas Load Center w/Manifold Bracket For use with FGP-MI-PC only Bonding Clamp Brass 	Coated Manifold 4 ports 1/2" female 	Manifold Bracket: For use with FGP-MI-PC only 	4 ports 3/4" female inlets 1-1/4" and 1" female 	Large Manifolds 4 ports 1" female 
	2 ports 1/2" female 1/2" female to 1/2" male 	2 ports 1/2" female 3/4" female to 3/4" male 	Stackable Manifold Bracket 	
Description	Part Number	Size	Pkg. Qty	Lb.
Coated Manifold	FGP-MI-PC	3/4" x 1/2" x 1/2"(4)	1 each	1.9
Manifold Bracket	FGP-MB2	----	1 each	1.3
Stackable Manifold	FGP-MI-ST-500	1/2"F - M X 1/2"(2)	1 each	1.4
Stackable Manifold	FGP-MI-ST-750	3/4"F - M X 1/2"(2)	1 each	1.4
Stackable Manifold Bracket	FGP-MB-ST	fits MI-ST	1 each	.4
Load Center w/Bracket	FGP-LC	----	1 each	11.3
Large Coated Manifold	FGP-MI-PC-1X	1 1/4" x 1" x 3/4"(4)	1 each	5.5
Large Coated Manifold	FGP-MI-PC-2X	2" x 1 1/2" x 1"(4)	1 each	13.0
Bonding Clamp	FGP-GC-1	3/8", 1/2" (TP/CS)	1/2", 3/4", 1" (Iron pipe)	1 each
Bonding Clamp	FGP-GC-2	3/4", 1", 1 1/4" (TP/CS)	1 1/4", 1 1/2", 2" (Iron pipe)	1 each
Bonding Clamp	FGP-GC-3	1 1/2", 2" (TP/CS)	2 1/2" - 4" (Iron pipe)	1 each

Note: Omegaflex stocks regulators from various listed manufacturers. There will be a 15% charge added to regulator orders requesting shipment of a specific brand of regulator.

Pressure Regulators Cast Cast Housing Suitable for Outdoor Use     	Description	Part Number	Capacity MBTU/h**	Size	Pkg. Qty	Lb.
	Regulator 2 PSI (8" w.c.)	FGP-REG-3	250	1/2"	1 each	.8
	Regulator 2 PSI (11" w.c.)	FGP-REG-3P	368 LP	1/2"	1 each	.8
	Regulator 2 PSI (8" w.c.)	FGP-REG-5A	550	3/4"	1 each	1.9
	Regulator 2 PSI (11" w.c.)	FGP-REG-5P	836 LP	3/4"	1 each	1.9
	Regulator 2 PSI (8" w.c.)	FGP-REG-7L	1000	1"	1 each	1.6
	Regulator 5 PSI* w/OPD	FGP-REG-3L47	125	1/2"	1 each	1.1
	Regulator 5 PSI* w/OPD	FGP-REG-3L48	200	1/2"	1 each	1.2
	Regulator 5 PSI* w/OPD	FGP-REG-5AL48	320	3/4"	1 each	2.3
	Regulator 5 PSI* w/OPD	FGP-REG-5AL600	425	3/4"	1 each	3.4
	Regulator 5 PSI* w/OPD	FGP-REG-5AL601	465	1"	1 each	3.4
	Rain Cap for REG-3/3P	FGP-CAP-3	---	1/8"	1 each	.1
	Rain Cap for REG-5A/5P	FGP-CAP-5A	---	3/8"	1 each	.15
Installation Tags	FGP-ITAG-50	---	All	50/pkg	.35	
Gas Label	FGP-GAS LABEL	---	All	500/Roll	.25	
High Pressure Tags	FGP-TAG-20	---	All	20/pkg	.3	

Note: All regulators include an approved vent limiter.

*Regulators 3L48, 3L47, 5AL48, 5AL600, 5AL601 have MAX 5 PSI Inlet Pressure which includes an OPD for pressures above 2 PSI when used as a line Pressure Regulator. (Over-pressurization device included and attached to these units).

**Capacity is total load as line pressure regulator. (Capacity decreases for single appliance load. Contact factory.)


TracPipe® System Accessories and Tools

TracPipe® System Accessories and Tools					
Shut Off Valves Quick Disconnect Brass Housing with Stainless Steel Ball 	Description	Part Number	Size	Pkg. Qty	Lb.
	Ball Valve 5psi 1/2"	FGP-WBV-500	1/2"	1 each	.5
	Ball Valve 5psi 3/4"	FGP-WBV-750	3/4"	1 each	.8
	Sturgis Quick Disconnect	FGP-QDS	1/2"	1 each	.9
Tube Cutters 	Note: Special tools not required.				
	Cutter No. 15	FGP-TC-15	3/8"-1"	1 each	1.1
	Cutter No. 151	FGP-TC-151	3/8" – 3/4"	1 each	.9
	Cutter No. 152	FGP-TC-152	1" – 2"	1 each	1.9
	TracPipe Cutter wheel	FGP-E-5272	1" – 2"	1 each	.1
Striker Plate Carbon Steel Hardened 	Note: To cut 1" to 2" size TracPipe AP use a cutting wheel FGP-E-5272.				
	Quarter Striker Plate	FGP-SP-025	3" x 2"	250/box	.08
	Half Striker Plate	FGP-SP-050	3" x 7"	100/box	.4
	Three Quarter Striker Plate	FGP-SP-075	3" x 9"	100/box	.4
	Full Striker	FGP-SP-100	3" x 12"	50/box	.42
	8" X 8" Striker Plate	FGP-AF-SP-808	8" x 8"	1 ea.	1.13
	8" X 16" Striker Plate	FGP-AF-SP-816	8" x 16"	1 ea.	2.29
Floppy Strip Wound Conduit Type RW Galvanized Steel 	TracPipe System Floppy Conduit Adapter	FGP-FL-375-P	3/8"	10/pk.	0.1
	TracPipe System Floppy Conduit Adapter	FGP-FL-500-P	1/2"	10/pk.	0.1
	TracPipe System Floppy Conduit Adapter	FGP-FL-750-P	3/4"	10/pk.	0.15
	TracPipe System Floppy Conduit Adapter	FGP-FL-1000-P	1"	10/pk.	0.2
	TracPipe System Floppy Conduit Adapter	FGP-FL-1250-P	1 1/4"	4/pk.	0.45
	TracPipe System Floppy Conduit Adapter	FGP-FL-1500-P	1 1/2"	4/pk.	0.6
	TracPipe System Floppy Conduit Adapter	FGP-FL-2000-P	2"	4/pk.	0.7
	Floppy-fits 1/2" Cut 1 ft.	FGP-FPY-500CT	1"	50 box	15
	Floppy-fits 3/4" Cut 1 ft.	FGP-FPY-750CT	1 1/4"	25 box	17.5
	Floppy-fits 1" Cut 1 ft.	FGP-FPY-1000CT	1 1/2"	25 box	24
Silicone Tape Silicone Rubber 	Floppy-fits 1/2"	FGP-FPY-500-50	1"	50 ft/coil	13
	Floppy-fits 3/4"	FGP-FPY-750-25	1 1/4"	25 ft/coil	15.5
	Floppy-fits 1"	FGP-FPY-1000-25	1 1/2"	25 ft/coil	22
	Floppy-fits 1 1/4"	FGP-FPY-1250-25	2"	25 ft/coil	28.5
	Floppy-fits 1 1/2"	FGP-FPY-1500-25	2 1/2"	25 ft/coil	46
Leak Check 	Floppy-fits 2"	FGP-FPY-2000-25	3"	25 ft/coil	51
	Tape-Black	FGP-915-10H-12BL	1" x 12yd	Roll 12 yd	.3
	Non-Corrosive leak check solution	FGP-LCS	1 Quart	12/case	2.3


TracPipe® PS-II Underground Gas Piping

TracPipe PS-II is a pre-sleeved gas installation system for underground, rooftop, or exterior wall applications that is more cost-effective and easier to install.

Sizes: 3/8"-1"




Sizes: 1 1/4\"-2"



TracPipe® PS-II Underground Gas Piping **PATENTED - Improved**



Male Adapter



Coupling

Description	Part Number	Size	Reel Length	Lb./Reel
TracPipe PS-II 3/8"	FGP-UGP-375-250	3/8"	250 ft./reel	57.5
TracPipe PS-II 1/2"	FGP-UGP-500-250	1/2"	250 ft./reel	82.5
TracPipe PS-II 1/2"	FGP-UGP-500-100	1/2"	100 ft./reel	33
TracPipe PS-II 3/4"	FGP-UGP-750-250	3/4"	250 ft./reel	107.5
TracPipe PS-II 3/4"	FGP-UGP-750-100	3/4"	100 ft./reel	43
TracPipe PS-II 1"	FGP-UGP-100-250	1"	250 ft./reel	142.5
TracPipe PS-II 1"	FGP-UGP-100-100	1"	100 ft./reel	57
TracPipe PS-II 1 1/4"	FGP-UGP-125-150	1 1/4"	150 ft./reel	137
TracPipe PS-II 1 1/2"	FGP-UGP-150-150	1 1/2"	150 ft./reel	150.5
TracPipe PS-II 2"	FGP-UGP-200-150	2"	150 ft./reel	220

Male Adapters

Description	Part Number	Size	Pkg.Qty.	Lb.
TracPipe System PS-II Male Adapter – 3/8"	FGP-UGF2-375	3/8" NPT Male	25/box	0.9
TracPipe System PS-II Male Adapter – 1/2"	FGP-UGF2-500	1/2" NPT Male	20/box	1.15
TracPipe System PS-II Male Adapter – 3/4"	FGP-UGF2-750	3/4" NPT Male	16/box	1.4
TracPipe System PS-II Male Adapter – 1"	FGP-UGF2-1000	1" NPT Male	9/box	1.85
TracPipe System PS-II Male Adapter – 1 1/4"	FGP-UGF2-1250	1 1/4" NPT Male	4/box	5.15
TracPipe System PS-II Male Adapter – 1 1/2"	FGP-UGF2-1500	1 1/2" NPT Male	2/box	6.45
TracPipe System PS-II Male Adapter – 2"	FGP-UGF2-2000	2" NPT Male	2/box	8.25

Couplings

TracPipe System PS-II Coupling – 3/8"	FGP-UGC2-375	3/8"	25/box	1.55
TracPipe System PS-II Coupling – 1/2"	FGP-UGC2-500	1/2"	20/box	2.1
TracPipe System PS-II Coupling – 3/4"	FGP-UGC2-750	3/4"	16/box	2.5
TracPipe System PS-II Coupling – 1"	FGP-UGC2-1000	1"	9/box	3.3
TracPipe System PS-II Coupling – 1 1/4"	FGP-UGC2-1250	1 1/4"	4/box	9.5
TracPipe System PS-II Coupling – 1 1/2"	FGP-UGC2-1500	1 1/2"	2/box	11.85
TracPipe System PS-II Coupling – 2"	FGP-UGC2-2000	2"	2/box	15.1

LIMITED WARRANTY: ALL SALES ARE SUBJECT TO OUR LIMITED WARRANTY,
WHICH IS AVAILABLE AT [HTTPS://OMEGAFLEXCORP.COM/LEGAL-INFORMATION](https://omegaflexcorp.com/legal-information) AND





OmegaFlex®

451 Creamery Way, Exton, PA 19341-2509

800-355-1039 • Fax: 610-524-6484

www.omegaflex.com

ISO 9001 Registered Company

©Omega Flex, Inc. 2026

FGP-745 (US) 07/2026