


TracPipe® **CounterStrike®**


Flexible Gas Piping by OmegaFlex®



**CounterStrike® CSST is now listed
to ICC-ES Evaluation ESR-4565 for seismic resilience!**

tracpipe.com

Corrugated Stainless Steel (CSST) Piping Systems for Natural Gas and Propane



- First Arc-Resistant (AR) CSST
- Seismic Resistance
- Fewer Fittings
- Faster Install
- Inside or Outside
- Above or Below Ground
- There are No Additional Bonding Requirements for Tracpipe®CounterStrike® CSST Imposed by the manufacturer's Installation Instructions
- Robust Single Jacket Design
- Tracpipe®CounterStrike® CSST is Non-annealed Making It More Crush Resistant
- Long Lengths up to 500 feet
- Flexible and Bendable
- Short 25 Foot Coils
- Single Source for All Your CSST Needs Underground Tracpipe® PSII
- Sizes 3/8" to 2"
- Contractor Grade



CSST Piping Systems for Natural Gas and Propane




The flexibility and long lengths of CounterStrike® CSST make it perfect for remodel/repair work. It can be pulled like wire, which minimizes the need to remove and replace walls, while at the same time potentially reducing both construction cost and shortening lead times.



The superior crush resistance of CounterStrike® CSST means that it lays straighter, and pulls easier in new home construction. It also makes it easier to cut. The superior flow capacity of CounterStrike allows you the potential to use a smaller, lower cost CounterStrike size as shown below.

Use of 1/2", 3/4" and 1" TracPipe-CounterStrike 25 foot reels for On-Demand Water Heater Retrofit Applications							
On-Demand WH Load	Nat. Gas System Pressure	Pressure Drop	Trunk Length	Pipe length to WH	Counter-Strike® Size	Competitor "A" Size	Competitor "B" Size
199,000 BTU	6-7 "WC	0.5 "WC	-	15 feet	3/4"	1"	1"
199,000 BTU	6-7 "WC	0.5 "WC	25 feet	15 feet	1"	1"	1-1/4"
199,000 BTU	6-7 "WC	1.0 "WC	-	25 feet	3/4"	1"	1"
199,000 BTU	2 psi	1 psi	100 feet	25 feet	1/2"	3/4"	1/2"

Notes: 1. Sizing based on Manufacturers 2019 Published Sizing Charts using Branch Length Method
2. No trunk length indicates routing WH line from tee located at meter outlet



CounterStrike features a single robust arc-resistant protective jacket over a non-annealed CSST, which offers enhanced crush resistance.

TracPipe® CounterStrike® CSST Piping

Part Number	Size	Reel Length	Lb/Reel
FGP-CS-375-250	3/8"	250	37
FGP-CS-375-100	3/8"	100	17
FGP-CS-500-500	1/2"	500	98
FGP-CS-500-250	1/2"	250	52
FGP-CS-500-100	1/2"	100	24
FGP-CS-500-50	1/2"	50*	14
FGP-CS-500-25	1/2"	25*	4.6
FGP-CS-750-250	3/4"	250	70
FGP-CS-750-100	3/4"	100	31
FGP-CS-750-50	3/4"	50*	18
FGP-CS-750-25	3/4"	25*	5.2
FGP-CS-100-180	1"	180	70
FGP-CS-100-100	1"	100	40
FGP-CS-100-50	1"	50	22
FGP-CS-100-25	1"	25*	8.6
FGP-CS-125-250	1 1/4"	250	129
FGP-CS-125-150	1 1/4"	150	78
FGP-CS-150-250	1 1/2"	250	182
FGP-CS-150-150	1 1/2"	150	103
FGP-CS-200-150	2"	150	137




CounterStrike® 25 ft coils are available in 1", 3/4", and 1/2" diameters.



Note: Reel Length followed by * indicates a coil.

AutoFlare® Fittings

Description	Part Number	Size
AutoFlare Straight 3/8"	FGP-FST-375N	3/8" (3/8"NPT)
AutoFlare Straight 3/8"	FGP-FST-375	3/8" (1/2"NPT)
AutoFlare Straight 1/2"	FGP-FST-500	1/2"
AutoFlare Reducing 1/2"	FGP-RST-500-750	1/2"-3/4"NPT
AutoFlare Straight 3/4"	FGP-FST-750	3/4"
AutoFlare Reducing 3/4"	FGP-RST-750-500	3/4"-1/2"NPT
AutoFlare Straight 1"	FGP-FST-1000	1"
AutoFlare Reducing 1"	FGP-RST-1000-750	1"-3/4"NPT
AutoFlare Straight 1 1/4"	FGP-FST-1250	1 1/4"
AutoFlare Straight 1 1/2"	FGP-FST-1500	1 1/2"
AutoFlare Straight 2"	FGP-FST-2000	2"



Download your FREE Mobile APP for iPhone or Android !

Transform your phone into a sizing tool for CounterStrike® CSST. Input the numbers and the APP generates the flow capacity for every size.

Sizing Software
FREE DOWNLOAD



Download your FREE TracPipe® Specifier 2 Now !

Quickly and easily design and size systems using CounterStrike® CSST flexible gas piping with the TracPipe® Specifier 2. This free, downloadable program allows you to create custom systems to save for later, print as diagrams, or generate a bill of materials.

TracPipe® CounterStrike®
Flexible Gas Piping by OmegaFlex.



TracPipe® CounterStrike® CSST flexible gas piping complies with model codes including the National Fuel Gas Code (NFPA-54), International Fuel Gas Code (IFGC), and Uniform Plumbing Code (UPC). It is UL listed for through-penetration firestop systems. TracPipe® CounterStrike® CSST is also listed to ANSI LC 1-2018.

© Omega Flex, Inc. 2024

OmegaFlex®

Omega Flex, Inc.
451 Creamery Way • Exton, PA 19341
1-800-671-8622
ISO 9001 Registered Company
FGP-752 10/24